

# **Dermatopathology Service**

#### **BIOPSY SITE GUIDELINES FOR DIRECT IMMUNOFLUORESCENCE STUDIES**

#### **TAKING THE BIOPSY:**

- o A 4-mm punch biopsy is preferable. A deep shave biopsy may also be processed
- o Ensure biopsy is not adherent to vial lid or side and is fully immersed in DIF fixative
- Paired specimens (accompanying tissue in formalin fixative for H&E staining) will optimize diagnostic yield
- Different disorders will require analysis of "involved" and/or "perilesional" skin
- o In general, avoid older lesions, ulcers and distal extremity skin
- o For specific disorders, see below

## **BLISTERING DISORDERS:**

Pemphigus and pemphigoid groups (including bullous pemphigoid, epidermolysis bullosa acquisita, and linear IgA bullous dermatosis):

- BIOPSY: edge of active blister or perilesional erythematous skin
- AVOID: center of blister, denuded skin, or ulcers

#### **Dermatitis herpetiformis:**

- BIOPSY: perilesional, normal-appearing skin, 3-5 mm from blister
- AVOID: active blister

# Porphyria and pseudoporphyria:

- BIOPSY: involved skin, preferably edge of active blister
- AVOID: denuded skin, ulcers and older lesions

## **VASCULITIS:**

### Leukocytoclastic vasculitis and Henoch-Schonlein purpura

- BIOPSY: active border of new lesion, preferably less than 24-48 hours old
- AVOID: older lesions, ulcers and distal extremities (when possible)

# **CONNECTIVE TISSUE DISEASES:**

# Lupus erythematosus (LE) and Dermatomyositis:

- For DLE, SCLE and DM:
  - o BIOPSY: erythematous or active border of lesion (< 3 months old)
  - o AVOID: older lesions, ulcers or lesions on face
  - LABEL: "Lesional"

#### For SLE and Lupus Band Test (LBT):

- o BIOPSY: 2 sites for DIF
  - o (1) "Lesional": erythematous or active border of involved skin
  - o (2) "Nonlesional": sun-protected, uninvolved skin, preferably from buttock or thigh
- o AVOID: older lesions, ulcers or lesions on face

**Information:** For any questions, to discuss DIF reports, or to speak directly with Michael Murphy, M.D., the Director of Immunopathology at UConn Health, please call 860-679-3474 or email: <a href="mailto:mimurphy@uchc.edu">mimurphy@uchc.edu</a>

Please refer to the UConn Health Dermatopathology Service webpage for any additional information on DIF or other testing.

**UConn Health Dermatopathology Service** 

21 South Road

Farmington, CT 06030

Phone: 860-679-3474 Fax: 860-679-1267 Web: https://health.uconn.edu/dermatology